









CAM ACTION®

300 SERIES: INCH STANDARD



Travel = .250"





CAD insertion point

CATALOG NUMBER	DESCRIPTION
CA-300	CamAction Unit-Standard Lock
CA-300L	CamAction Unit-Longer Lock


Each assembly includes SRT-10 Slide Retainer and (3) mounting screws. Individual replacement parts are available. Refer to the price list for catalog numbers and pricing, and contact Customer Service for availability.

CAM ACTION®

300 SERIES: METRIC STANDARD



*Minus pre-load.



Travel = 6.35 mm

CAD insertion point

CATALOG NUMBER	DESCRIPTION
CAMM-300	Metric CamAction Unit-Standard Lock
CAMM-300L	Metric CamAction Unit-Longer Lock


Each assembly includes SRTM-04 Slide Retainer and (3) mounting screws. Individual replacement parts are available. Refer to the price list for catalog numbers and pricing, and contact Customer Service for availability.



CAM ACTION® ACCESSORIES

300 SERIES CORE PINS

M M-2 **H** 58-62 HRC **S** Chrome Plated




CATALOG NUMBER	D	THD	C
CAP3-750	.7504 .7508	1/4-20	3/4
CAP3MM-19	19.009 mm 19.019 mm	M6-1	20 mm

Socket head cap screw included.

300 SERIES INSERTS



M P-20 Pre-Hard **S** Salt Bath Nitride



CATALOG NUMBER	H	W	L	THD	C
CSE3-50	.875	1.500	.50	1/4 - 20	5/8
CSE3-200	.875	1.500	2.00	1/4 - 20	5/8
CSE3MM-12	22 mm	38 mm	12 mm	M6 - 1mm	15 mm
CSE3MM-50	22 mm	38 mm	50 mm	M6 - 1mm	15 mm

Socket head cap screw included.

300 SERIES UL ADAPTERS



M 4140 **S** Salt Bath Nitride

CATALOG NUMBER	T	W	H	D	THD	A	B	C	COMPATIBLE U-COUPLING
CTG-300	.875	.875	.563	.098	1/4-20	.75	.406	1.187	UCU87
CTGMM-300	23 mm	23 mm	6 mm	2.5 mm	M6-1	12 mm	10 mm	30.15 mm	UCMM22

Socket head cap screw included. Core Blades and U-Couplings are sold on page H-2 and H-3.